

SIZE	EP	BAR MARK	BND V TYP CD	BENDING DIMENSIONS															
				A	B	C	D	E	F/R	G	H	J	K	L	M	N	O		
10		10A1	1	1-05	24-06												1-05		
10		10A2	1	1-05	24-10												1-05		
10		10A3	1	1-05	26-072												1-05		
10		10A4	1	1-05	28-05												1-05		
10		10A5	A	1-05	29-09												1-05		
10		10A33	+	1-05	24-05												1-05		
10		10A40	17	2-07	5-072	2-07													
10		10A41	3	9-082	2-07											1-113	1-08	11-042	
10		10A590	21	###			23-01	1-02								1-013	0-02		
10		10A592	3				1-10	14-111	1-10							1-032	1-032	17-062	
7		7A597	21				9-11	1-02								1-02	0-002		
6		6A46	2	1-00	8-07														
6		6A48	26		1-06	4-043	0-06	4-043	1-06										
5		5A591	17		1-03	7-09													
5		5A593	17		1-03	12-00													
4		4A44	2	0-08	13-05														
4		4A45	2	0-08	8-07														
4		4A47	2	0-08	8-05														
4		4A49	2	0-08	7-01														
4		4A596	2	0-08	10-01														

- NOTES**
- 1) BAR CLEARANCE:
 - 3" - BOTTOM AND SIDES OF FOOTINGS.
 - 2" - TOP OF FOOTING AND ALL SIDES OF WALLS
 - 1 1/2" - SIDES OF PIERS
 - 2) BAR LAPS:
 - 50 BAR DIA. LAP AS NOTED ON PLAN AND SECTIONS.
 - 3) DRAWINGS USED:

SHEET #	REV. #	DATE
51-1	0	4-17-09


Revisions			Job:	
Description	Date	No.	WHITACRE JOB #4909	
Sent For Approval	-	0	Location: POTTSVILLE, PA	
-	-	-	Contractor:	
-	-	-	Architect:	
 CANTON, OHIO (330) 588-2170 SYRACUSE, NY (315) 622-1075			REINFORCING STEEL PLACING DRAWING ONLY USE IN CONJUNCTION WITH CONTRACT DRAWINGS & SPECIFICATIONS. ELEVATIONS & DIMENSIONS SHOWN ON THIS DRAWING ARE FOR DETAILING PURPOSES ONLY & SHOULD NOT BE USED FOR CONSTRUCTION UNLESS VERIFIED BY THE ENGINEER OR THE CONTRACTOR. ALL EXCAVATIONS AND TRENCHES THAT ARE 5'-0" OR DEEPER MUST FULLY COMPLY WITH OSHA STANDARDS BEFORE EMPLOYEES OF WHITACRE OR ITS SUBCONTRACTORS ENTER ANY EXCAVATED AREA.	
Reinforcing (ASTM A615 Grade 60)			Title RETAINING WALL FTG PLAN	
Releases:			Contract: 4909	
Sheet: 101				

A SECTION
1/2"=1'-0"

B SECTION
1/2"=1'-0"

C SECTION
1/2"=1'-0"

PLAN
3/16"=1'-0"



CRSI
MEMBER

IF INSIDE FACE
OF OUTSIDE FACE
OF EACH FACE
OF EACH WAY
OF VERTICAL
OF HORIZONTAL
OF DOWEL
OF BOTTOM
OF TOP
OF BEND IN FIELD
SW SHORT WAY
LW LONG WAY
PBO PLACED BY OTHERS
NIC NOT IN CONTRACT
3&G DRILL & GROUT
ALT ALTERNATE